INGREDIENT DATA SHEET

According to the Detergent Regulation (EC) No 1907/2006

Manufacturer/Supplier:

Company name: LEITZ ACCO Brands GmbH & Co KG

Address: Forumstr. 6, 41468 Neuss

Phone: +49(o) 7118103-0

E-mail: germanyinfo@acco.com

Product name: KombiMarker grün (Z1708 02), KombiMarker blau (Z1708 03), KombiMarker schwarz (Z1708 10), FineMarker grün (Z1991 02), FineMarker blau (Z1991 03), FineMarker schwarz (Z1991 10)

Information on Ingredients:

INCI name		
10 % or more		
ethanol		
1-methoxy-2-propanol		
1 % or over, but less than 10 %		
0,1 % or over, but less than 1 %		
less than 0,1 %		

Note. INCI: International Nomenclature of Cosmetic Ingredients. https://ec.europa.eu/growth/sectors/cosmetics/cosing_en **Date:** 10.09.2024

Revision Date: -

Version: 1

according to 1907/2006/EC, Article 31



Page 1/7
Printing date 25.01.2023
Revision: 25.01.2023
Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 73xx.1 Series ; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow
- · Article number: 100000001941
- · Registration number

The ingredients of this product meet the criteria of the Regulation 1907/2006/EC (REACH).

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Currently no such applications are identified.
- · Application of the substance / the mixture dry-erase whiteboard ink
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: DOKUMENTAL GmbH & Co KG Woellnerstraße 26

Woellnerstraße 26 D-67065 Ludwigshafen Phone + 49(0)621/37702 321 Fax + 49(0)621/37702 391 www.dokumental.de

· Further information obtainable from:

Technical Service & Product Safety Tel.: +49-621-37702 390 E-Mail: msds@dokumental.de 1.4 Emergency telephone number:

GBK Gefahrgut Büro GmbH +49 (0) 6132 / 84463 Ingelheim, Deutschland

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

011007

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31



Page 2/7
Printing date 25.01.2023
Revision: 25.01.2023
Version number 1

Trade name: WB 73xx.1 Series ; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dan	· Dangerous components:		
CAS	S: 64-17-5	ethanol	50-<75응
	NECS: 200-578-6	🔞 Flam. Liq. 2, H225; 🕚 Eye Irrit. 2, H319	
Reg	g.nr.: 01-2119457610-43	•	
CAS	5: 107-98-2	1-methoxy-2-propanol	10-<25응
	NECS: 203-539-1	🐞 Flam. Liq. 3, H226; 🐧 STOT SE 3, H336	
Reg	g.nr.: 01-2119457435-35		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- \cdot Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Wear protective clothing.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 3)

according to 1907/2006/EC, Article 31



Page 3/7 Printing date 25.01.2023 Revision: 25.01.2023 Version number 1

Trade name: WB 73xx.1 Series; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

(Contd. of page 2)

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol (10-<25%)

IOELV Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

· Physical state

· Colour: Odour:

· Odour threshold:

Melting point/freezing point:

· Boiling point or initial boiling point and

boiling range

· Flammability

· Lower and upper explosion limit

· Lower:

Upper:

· Flash point:

· Ignition temperature:

· Decomposition temperature:

pН

According to product specification

Product specific Not determined. Undetermined.

78 °C (64-17-5 ethanol) Highly flammable.

1.5 Vol % (107-98-2 1-methoxy-2-propanol)

15 Vol % (64-17-5 ethanol) 13 °C (64-17-5 ethanol)

287 °C (107-98-2 1-methoxy-2-propanol)

Not determined. Not determined.

(Contd. on page 4)

Page 4/7 Printing date 25.01.2023 Revision: 25.01.2023 Version number 1

Trade name: WB 73xx.1 Series; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

(Contd. of page 3) Viscosity: · Kinematic viscosity Not determined. · Dynamic at 20 °C: 9.5 mPas · Solubility water: Partly miscible. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 59 hPa (64-17-5 ethanol) Density and/or relative densityDensity at 20 °C: 0.9 g/cm^3 · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications. · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: · Organic solvents: 79.1 8 · Solids content: 9.8 % · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives none · Flammable gases none Aerosols none · Oxidising gases none · Gases under pressure none · Flammable liquids Highly flammable liquid and vapour. · Flammable solids none Self-reactive substances and mixtures none · Pyrophoric liquids none · Pyrophoric solids · Self-heating substances and mixtures none · Substances and mixtures, which emit flammable gases in contact with water none · Oxidising liquids · Oxidising solids none Organic peroxides none Corrosive to metals none

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

none

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

according to 1907/2006/EC, Article 31



Page 5/7
Printing date 25.01.2023
Revision: 25.01.2023
Version number 1

Trade name: WB 73xx.1 Series ; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

(Contd. of page 4)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \ \textit{STOT-repeated exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1263
\cdot 14.2 UN proper shipping name	
· ADR	1263 PAINT
· IMDG, IATA	PAINT

- · 14.3 Transport hazard class(es)
- · ADR



- Class 3 (F1) Flammable liquids.
- · IMDG, IATA



· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E, <u>S-E</u>

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Page 6/7 Printing date 25.01.2023 Revision: 25.01.2023 Version number 1

Trade name: WB 73xx.1 Series; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

(Contd. of page 5) · Stowage Category · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: · Limited quantities (LQ) 5T. · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category · Tunnel restriction code D/E· Limited quantities (LQ) 5T. · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1263 PAINT, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	≥75

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Date of previous version: 16.05.2022

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

Page 7/7 Printing date 25.01.2023 Revision: 25.01.2023 Version number 1

Trade name: WB 73xx.1 Series; xx = 11 black, 11 black EN, 22 red, 24 red, 34 dark green, 34 dark green EN, 41 violet, 42 magenta, 62 orange, 63 yellow

(Contd. of page 6)

 \cdot * Data compared to the previous version altered.